

TEXAS

CONCRETE ROOF TILE COLLECTIONS

**NEWPOINT**TM
CONCRETE ROOF TILE

Westlake
Royal Roofing SolutionsTM

Our Texas Legacy.

Serving the Great State of Texas Since 1974

We have proudly served the Texas market for over 50 years. Texas is home to legacy employees who have shaped the way we do business today. Our strong culture and commitment define the quality behind every tile.



Asphalt Shingle

139°

attic temperature



Concrete Tile

94°

attic temperature

Why Tile?

NATURAL PROTECTION

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Newpoint™ Cool Roof System to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.

Temperatures measured in simulated attics using identical heat sources simulating sun's radiation to compare Newpoint™ Cool Roof System to common asphalt shingle roof system.

Hail Rated.

HAIL RATED CONCRETE TILE ROOFS MAY PROVIDE INSURANCE REDUCTIONS

Newpoint™ has a complete offering of Class 3 and Class 4 Impact concrete tile, the highest hail performance certification recognized in the industry.

You may qualify for an insurance reduction when choosing one of Newpoint's hail certified roof tiles.


EASY TO REPAIR

Unlike many other roofing materials, tile can be replaced individually without replacing the entire roof.

► The hail testing at Intertek's laboratory in Dallas, Texas under test protocol for FM 4473.

HAIL TESTING

In the Class 4 hail test, 2 inch ice balls are shot at 104 feet per second (approx. 70 mph), to develop the intended kinetic energy. This test is the most rigorous test using the largest ice balls, impacting the product specimen 4-6 times.



Material Matters.

VALUE MATTERS

Westlake Royal Roofing Solutions™ stands behind the quality of our roof tile with a Fully Transferable, Non-Prorated Limited Lifetime Warranty.

BEAUTY MATTERS

Our Newpoint™ concrete tiles have texture and substance, creating a true multidimensional look for your roof. Their natural colorways harmonize easily with other exterior building elements.

DURABILITY MATTERS

Newpoint™ concrete tile gains strength over time, and usually meets building structure and wind rating code requirements. Tile will last 3.75 times longer than an asphalt shingle roof.

SUSTAINABILITY MATTERS

Newpoint™ roof tile is locally made and sourced in Texas since 1974.





Color Matters.

As the market leader, we strive to enhance the curb appeal of your home. We continuously develop new colors to harmonize with the shifting architectural trends in Texas. We take pride in the color quality and blending we provide.

3 STYLES

Newpoint™ concrete roof tile easily harmonizes with all 3 dominant architectural styles.



TRADITIONAL

American adaptations of regional home styles from other time periods or areas of the world. Often mixed references.



COTTAGE
CRAFTSMAN
SPANISH COLONIAL
FOURSQUARE
NEW TRADITIONAL
FRENCH CHATEAU



TRANSITIONAL

Prefers the clean lines of contemporary architecture, but draws heavily on details and styles from traditional architecture.



RANCH
PRAIRIE
MISSION REVIVAL
CONTEMPORARY FARMHOUSE



CONTEMPORARY

Characterized by a preference for clean lines, open concepts, decoration, ample light sources, large windows, and lack of round forms.



MODERN
NEW BARNHOUSE
CONTEMPORARY
MID CENTURY MODERN




Tejas España | Brazos Blend

HIGH PROFILE COLLECTIONS




Tejas España



Designed to reflect the classic style and distinctiveness of Spanish architecture.

P. 17

Barcelona Impact



This modern interpretation of old world Spanish design creates a distinctive mission tile appearance. Designed to withstand severe weather conditions. Class 4 Hail Rated.

P. 22



Tejas España | Chestnut Burnt



Tejas España | Mission Red



Tejas España | Casa Grande Blend




County Slate | Impressionist

LOW PROFILE COLLECTIONS




Saxony® Country Slate



Unique beveled edges precisely define each roof tile for a staggered appearance, while its distinctive slate texture accurately reproduces the appearance of its natural counterpart.

P. 23

Saxony® Country Slate Impact




Unique beveled edges define each roof tile for a staggered appearance, while its distinctive slate texture accurately reproduces the appearance of its natural counterpart.

P. 27

Design to help withstand severe weather conditions. Class 4 Hail Rated.


Saxony® Shake



Captures rustic beauty of hand-hewn shakes. Ideal for French Country, Victorian Craftsman or Cottage architectural styling.

P. 29

Saxony® Country Split Shake




This classic variation of both shake and slate tile adds a distinctive architectural style. Split Shake tiles are best suited for Cottage, Country and Traditional American Homes.

P. 30

DESIGNER PRODUCT

Madera 900




The most authentic, affordable replication of a hand-split cedar shake roof available. With its realistic wood shake surface, Madera 900 will complement any architectural style.

P. 31



Country Split Shake | Custom Blend



Country Slate | Shadow Gray



Shake | Weathered Shake



Tejas España



*Tejas España | Custom Blend:
Desert Sage, Sandstorm, Chestnut Burnt*

Continental Seville

1TEWS0030



Newport Sun

1TECS6953



CRRC Rated Product - 0942-0111
Ref: .31 / Emi: .90 / SRI: 33 / Aged SRI: 33

New Clay

1TECS6931



CRRC Rated Product - 0942-0021
Ref: .25 / Emi: .93 / SRI: 26 Aged SRI: 27

Terra Cotta

1TECS6100



CRRC Rated Product - 0942-0049
Ref: .29 / Emi: .89 / SRI: 29 / Aged SRI: 33

Brazos Blend

1TEWS6217



CRRC Rated Product - 0942-0093
Ref: .34 / Emi: .89 / SRI: 37 / Aged SRI: 36

Clay Mexican Blend

1TECS6050



Sandstorm
1TECS0026



Desert Sage
1TECS0024



CRRC Rated Product - 0942-0022
Ref: .27 / Emi: .93 / SRI: 29 / Aged SRI: 28

Salerno Clay
1TECS6330



CRRC Rated Product - 0942-0012
Ref: .17 / Emi: .93 / SRI: 17 / Aged SRI: 22

Chestnut Burnt
1TECS3242



Dark Bordeaux
1TECS7944



Green Grey Blend
1TECS4507



Marbled Terra Cotta
1TECS6129



CRRC Rated Product - 0942-0020
Ref: .19 / Emi: .91 / SRI: 20 / Aged SRI: 25

Mission Red
1TECS7027



Marbled Canyon Red
1TECS7164



Charcoal Blend
1TECS1430



CRRC Rated Product - 0942-0072
Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16

Casa Grande Blend
1TECS6169



CRRC Rated Product - 0942-0014
Ref: .23 / Emi: .91 / SRI: 23 / Aged SRI: 24

Lexington Blend
1TECS6190



Charcoal Brown Blend
1TECS1132



CRRC Rated Product - 0942-0005
Ref: .18 / Emi: .91 / SRI: 17 / Aged SRI: 19



Tejas España | Casa Grande Blend



Custom Blend 1



Terra Cotta 45%; Sandstorm 20%; Chestnut Burnt 15%
Continental Seville 10%; Desert Sage 10%

Custom Blend 2



New Clay 30%; Sandstorm 30%
Desert Sage 30%; Green Grey Blend 10%

Custom Blend 3



Sandstorm 40%; Terra Cotta 20%
Casa Grande Blend 20%; Chestnut Burnt 20%

Custom Blend 4



Terra Cotta 25%; Marbled Terra Cotta 25%
Marbled Canyon Red 25%; Casa Grande Blend 25%

Custom Blend 5



Sandstorm 33%; Desert Sage 33%
Chestnut Burnt 33%

Custom Blend 6



Marbled Canyon Red 50%; Casa Grande Blend 50%

Custom Blend 7



Continental Seville 60%; Terra Cotta 20%
Casa Grande Blend 20%

Custom Blend 8



Dark Bordeaux 60%; Chestnut Burnt 40%

NOTE: Custom blends are sold as individual colors and must be blended on the roof by the installer. When ordering Tejas España Custom Blend colors each color must be ordered in half or full pallets.



Barcelona Impact



Barcelona Impact | Salerno Clay

Salerno Clay

1BITS6330



CRRC Rated Product - 0942-0012
Ref: .17 / Emi: .93 / SRI: 17 / Aged SRI: 22

Lexington Blend

1BITS6190





Saxony® Country Slate



Country Slate | Shadow Grey

Patina Green
1TCCS4972



Terra Cotta 2000
1TCCS6978



Shadow Grey
1TCCS5225



Impressionist
1TCCS4976



Tiger Eye
1TCCS3962



Charcoal Blend
1TCCS1430



CRRC Rated Product - 0942-0072
Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16

Wolf Grey
1TCCS5969



CRRC Rated Product - 0942-0090
Ref: .11 / Emi: .91 / SRI: 8 / Aged SRI: 15

Weathered Griege
1TCCS3380



Charcoal Brown Blend
1TCCS1132



CRRC Rated Product - 0942-0005
Ref: .18 / Emi: .91 / SRI: 17 / Aged SRI: 19

Chestnut Burnt
1TCCS3242



Dark Bordeaux
1TCCS7944






VISTA
COLLECTION



COMPATIBLE **COLOR HARMONIES**



WEATHERED GRIEGE 	CHARCOAL BROWN BLEND 	CHESTNUT BURNT 	DARK BORDEAUX 
Off White PPG1024-1 Oswego Tea PPG1005-6 Desert Dune PPG1023-4	Cool Concrete PPG1023-2 Stone Gray PPG1023-5 Afternoon Tea PPG1023-7	Crumb Cookie PPG18-01 Water Chestnut PPG1078-2 Downpour PPG1010-5	Bermuda Sand PPG1074-3 Pearls And Lace PPG1074-1 Little Bear PPG1074-7
Elusion PPG1005-2 Dusky Dawn PPG1005-1 Coffee Kiss PPG1084-5	Atrium White PPG1020-1 Gray Heron PPG1033-5 Hindu Lotus PPG1026-6	Bone White PPG1085-2 Friar's Brown PPG1024-7 Copper Pot PPG1081-7	Prairie Winds PPG1111-1 Safari PPG1111-3 Sphagnum Moss PPG1111-7
Storm's Coming PPG1008-2 Maple Syrup PPG1084-7 Artillery PPG1008-6			



Saxony® Country Slate Impact



Country Slate | Impact Tiger Eye

Tiger Eye
1TCTS3962



Shadow Grey
1TCTS5225



Wolf Grey
1TCTS5969



CRRC Rated Product - 0942-0090
Ref: .11 / Emi: .91 / SRI: 8 / Aged SRI: 15

Charcoal Blend
1TCTS1430



CRRC Rated Product - 0942-0072
Ref: .17 / Emi: .91 / SRI: 15 / Aged SRI: 16




Saxony® Shake




Saxony Shake | Weathered Shake

Weathered Shake
1KSCF3029



Shadow Grey Burnt
1KSCF5754



Saxony® Country Split Shake




Saxony® Country Split Shake | Cobblestone

Cobblestone
1TSCB3957



Berkus Green
1TSCB4245



Weathered Shake
1TSCB3029



CRRC Rated Product - 0942-0062
Ref: .11 / Emi: .90 / SRI: 8 / Aged SRI: 15



Madera 900

DESIGNER PRODUCT

CLASS
3
HAIL RATED



Winterwood Blend

1MDCL5120



CRRC Rated Product – 0942-0183
Ref: 0.21 / Emi: 0.91 / SRI: 20 / Aged SRI: 21

Autumnwood

1MDCL3002



CRRC Rated Product - 0942-0070
Ref: .13 / Emi: .87 / SRI: 8 / Aged SRI: 8

Elkwood

1MDCL0072



CRRC Rated Product – 0942-0081
Ref: .16 / Emi: .94 / SRI: 16 / Aged SRI: 16

Mountainwood

1MDCL5001



CRRC Rated Product - 0942-0110
Ref: .08 / Emi: .93 / SRI: 5 / Aged SRI: 7

Tahoe Blend

1MDCL3230



CRRC Rated Product – 0942-0169
Ref: 0.17 / Emi: 0.91 / SRI: 16 / Aged SRI: 18

Vintagewood

1MDCL5011








CRRC Rated Product - 0942-0089
Ref: .12 / Emi: .94 / SRI: 11 / Aged SRI: 13

Have you considered what is underneath your roof tile?

Newpoint™ Cool Roof System



Five components provide energy efficiency and give substantial return on your investment.



Energy Savings Every Year








22% Reduction in heating and cooling costs[†]




















For more information, please visit our website WestlakeRoyalRoofing.com

[†]Steep-slope Assembly Testing of Clay and Concrete Tile with and without Cool Pigmented Colors, Oak Ridge National Laboratory, 2005. Results vary based on profile of tile installed, location, weather and other factors.

Specifications

TEJAS ESPAÑA	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	3-5/8"	At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	254	2.92		Approx: 2,935 lbs.	 Class 3 Hail Rated FM 4473
BARCELONA IMPACT	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	3-5/8"	At 3" minimum headlap, 89 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	244	2.75		Approx: 3,140 lbs.	 Class 4 Hail Rated FM 4473
SAXONY® COUNTRY SLATE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	1-1/8"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	262	2.85		Approx: 3,155 lbs.	 Class 3 Hail Rated FM 4473
SAXONY® COUNTRY SLATE IMPACT	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	1-1/8"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,080 lbs.	252	2.74		Approx: 3,366 lbs.	 Class 4 Hail Rated FM 4473
SAXONY® SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	1"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	256	2.78		Approx: 3,050 lbs.	 Class 3 Hail Rated FM 4473
SAXONY® COUNTRY SPLIT SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	16-1/2" x 13"	1-1/2"	At 3" minimum headlap, 92 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,030 lbs.	256	2.78		Approx: 3,050 lbs.	 Class 3 Hail Rated FM 4473
MADERA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	360	3		Approx: 3,010 lbs.	 Class 3 Hail Rated FM 4473


Finishing Touches

Capri Trim	Capri Hip Starter	
 1CTCS/1CTWS	 1CHCS/1CHWS	
Capri Trim	Capri Hip Starter	
 1CTCS	 1CHCS	
90 Rake	3-Sided Ridge	3-Sided Hip Starter
 1R9CS	 1R3CS	 1FHCS
90 Rake	3-Sided Ridge	3-Sided Hip Starter
 1R9CS	 1R3CS	 1FHCS
90 Rake	3-Sided Ridge	3-Sided Hip Starter
 1R9CL	 1R3CL	 1FHCL
90 Rake	3-Sided Ridge	3-Sided Hip Starter
 1R9CB	 1R3CB	 1FHCB
90 Rake	V-Ridge	Tapered Eave Starter
 19CCL	 1VCCL	 1CECL

Suggested Tile Mortar™ Colors

Tejas España	Tile Mortar
Brazos Blend	Terra Cotta
Casa Grande Blend	Casa Grande
Charcoal Blend	Charcoal
Charcoal Brown Blend	Desert Sage
Chestnut Burnt	Chestnut Burnt
Clay Mexican Blend	Sandstorm
Continental Seville	Desert Sage
Dark Bordeaux	Dark Bordeaux
Desert Sage	Desert Sage
Green Grey Blend	Charcoal
Lexington Blend	Casa Grande
Marbled Canyon Red	Marbled Canyon Red
Marbled Terra Cotta	Terra Cotta
Mission Red	Mission Red
New Clay	Terra Cotta
Newport Sun	Terra Cotta
Salerno Clay	Sandstorm
Sandstorm	Sandstorm
Terra Cotta	Terra Cotta
Barcelona Impact	Tile Mortar
Charcoal Brown Blend	Desert Sage
Lexington Blend	Casa Grande
Salerno Clay	Sandstorm

Saxony® Country Slate	Tile Mortar
Charcoal Blend	Charcoal
Charcoal Brown Blend	Desert Sage
Chestnut Burnt	Chestnut Burnt
Dark Bordeaux	Dark Bordeaux
Impressionist	Chestnut Burnt
Patina Green	Desert Sage
Shadow Grey	Charcoal
Terra Cotta 2000	Terra Cotta
Tiger Eye	Chestnut Burnt
Weathered Griege	Desert Sage
Wolf Grey	Chestnut Burnt
Saxony® Country Slate Impact	Tile Mortar
Charcoal Blend	Charcoal
Shadow Grey	Charcoal
Tiger Eye	Chestnut Burnt
Wolf Grey	Chestnut Burnt
Saxony® Shake	Tile Mortar
Shadow Grey Burnt	Charcoal
Weathered Shake	Chestnut Burnt
Saxony® Country Split Shake	Tile Mortar
Berkus Green	Charcoal
Cobblestone	Charcoal
Weathered Shake	Chestnut Burnt

Tile Mortar Color Samples		
 Desert Sage	 Sandstorm	 Chestnut Burnt
 Terra Cotta	 Mission Red	 Dark Bordeaux
 Casa Grande	 Marbled Canyon Red	 Charcoal

Visualize

Picture your new roof with Newpoint™ Concrete Roof Tile Inspiration house photo gallery on our website.

Design your home with your dream roof by using our [Dream Home Visualizer](#). Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.

Limited Lifetime Warranty*


As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

Follow Us On Social Media

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.



*For product warranty details, please visit [Newpoint Concrete Product Warranty](#) on our website. The warranties found there are the sole warranties applicable to Newpoint™ roofing products.



Code Approval: Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles have systems that are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.



ABOUT WESTLAKE ROYAL ROOFING SOLUTIONS™

Westlake Royal Roofing Solutions™ is the combination of DaVinci® Roofscapes and the former Boral North America roofing product lines. The company is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems and components. The company's offerings include US Tile® products, a legacy line of premium, stunning clay tile solutions manufactured to the highest standard of sustainability and craftsmanship: DaVinci® Roofscapes, beautiful and durable composite slate and shake roofing tiles; Newpoint™ Concrete Tile Roofing, the enduring line of concrete tile known for its superior strength, Class A fire rating and long-lasting beauty; Unified Steel™ Stone Coated Roofing, the ultra-lightweight roofing system which benefits from the structural strength of steel; and Westlake Royal™ Roofing Components, a full line of integrated roof components designed to deliver a higher standard of roof installation and performance.

ABOUT WESTLAKE ROYAL BUILDING PRODUCTS™

Westlake Royal Building Products USA Inc., a Westlake company (NYSE:WLK), is a leader throughout North America in the innovation, design, and production of a broad and diverse range of exterior and interior building products, including Siding and Accessories, Trim and Mouldings, Roofing, Stone, Windows and Outdoor Living. For more than 50 years, Westlake Royal Building Products has manufactured high quality, low maintenance products to meet the specifications and needs of building professionals, homeowners, architects, engineers and distributors, while providing stunning curb appeal with an unmatched array of colors, styles, and accessories.

For more information, please visit WestlakeRoyalBuildingProducts.com. Follow us on LinkedIn, Instagram and "Like" us on Facebook.

Sales Offices

Phoenix, ARIZONA
Corona, CALIFORNIA
Lathrop, CALIFORNIA
Stockton, CALIFORNIA
Rialto, CALIFORNIA
Denver, COLORADO
Pompano Beach, FLORIDA

Lake Wales, FLORIDA
Okeechobee, FLORIDA
Kapolei, HAWAII
Henderson, NEVADA
Fort Worth, TEXAS
Katy, TEXAS

Corporate Office

Westlake Royal Building Products
2801 Post Oak, Suite 600
Houston, Texas 77056

Customer Service

Ph: 800.669.TILE (8453)

Website



WestlakeRoyalRoofing.com

© 2023 WRRS LLC - M815 - 10/23



Westlake
Royal Roofing Solutions™